

SonTek Instrumentation Accessories List

Need replacement parts or accessories for your SonTek gear? Use this handy color-coded checklist to help get you started! Find quick access to part-numbers and cost-per-item.

Once you have identified what you need, you can place your order via one of our friendly Customer Support Specialists at sontek.orders@xylem.com. Or, call +1.858.546.8327, option 3.

**Inventory as of February 2021*

<p style="text-align: center;">ADP SPARE PARTS</p> 	<p style="text-align: center;">ADP 19-0024 \$80 Power supply, 24VDC, 60 Watt, ADP/ADV</p> 	<p style="text-align: center;">ADP 2885-00103 \$10 Power cord (U.S.)</p> 
<p style="text-align: center;">ADP 2885-00125 \$35 Power cord kit (International)</p> 	<p style="text-align: center;">ADP 36-0013-010 \$570 10-m power and RS232 communications cable, 8-pin male wet pluggable to 9-pin D-sub</p> 	<p style="text-align: center;">ADP 36-0013-040 \$945 40-m power and RS232 communications cable, 8-pin male wet pluggable to 9-pin D-sub</p> 
<p style="text-align: center;">ADP 36-0013-070 \$1,320 70-m power and RS232 communications cable, 8-pin male wet pluggable to 9-pin D-sub</p> 	<p style="text-align: center;">ADP 36-0013-100 \$1,695 100-m power and RS232 communications cable, 8-pin male wet pluggable to 9-pin D-sub</p> 	<p style="text-align: center;">ADP 36-0050-002 \$1,010 Splitter cable, to connect ADP with external battery case (standard, 2-m length)</p> 

ADP
6048-08100
 \$130
 Connector, 8-pin male wet pluggable dummy plug (DC-8-MP)



ADP
6048-95000
 \$30
 Locking Sleeve for standard wet-pluggable connectors, male



ADP
6052-00033
 \$160
 Battery Pack, alkaline, 18V, 36D, ADP/ADV



ADP
AK3
 \$20
 Zinc Anode standard aluminum ADP systems (requires 5 per system for 250/500 kHz ADP, 4 per system for 250/500 kHz SL-ADP, 2 per system for 1.0 MHz ADP)



ADP
6053-00045
 \$95
 Tool kit for Standard ADP



ADP
6053-00046
 \$105
 Tool kit for Standard ADP (PP)



ADP
6053-00087
 \$120
 Tool kit for ADP/ADV fiberwound plastic electronics/battery housing




Argonaut-ADV
19-0022
 \$75
 Power supply, 15VDC, 40W



Argonaut-ADV
2885-00103
 \$10
 Power cord (U.S.)



Argonaut-ADV
2885-00125
 \$35
 Power cord kit (International)



Argonaut-ADV
36-0008-010
 \$695
 10-m power and RS232/SDI12 communications cable, compact 8-pin male wet pluggable to 9-pin D-sub, 8-conductor



Argonaut-ADV
SPARE PARTS



Argonaut-ADV
36-0008-040
 \$945
 40-m power and RS232/SDI12 communications cable, compact 8-pin male wet pluggable to 9-pin D-sub, 8-conductor



Argonaut-ADV
36-0052-01
 \$980
 1-m Splitter cable for SL/SW/Triton to external battery housing



Argonaut-ADV
6048-08140
 \$100
 Connector, compact 8-pin male wet-pluggable dummy plug (MCDC-8-MP)



Argonaut-ADV
6048-95010
 \$20
 Locking Sleeve for compact wet-pluggable connector, female



Argonaut-ADV
6052-00050
 \$120
 Battery Pack, alkaline, 10.5V, 21C, Triton/Argonaut-ADV



Argonaut-ADV
AK2
 \$45
 Zinc anode with hardware, ADV with 1/2 inch stem (10 MHz ADV/Triton/Argonaut-ADV)



Argonaut-ADV
6053-00175
 \$75
 Tool kit for Argonaut-ADV/Triton-ADV



Argonaut-XR
SPARE PARTS



Argonaut-XR
19-0022
 \$75
 Power supply, 15VDC, 40W



Argonaut-XR
2885-00103
 \$10
 Power cord (U.S.)



Argonaut-XR
2885-00125
 \$35
 Power cord kit (International)



Argonaut-XR
36-0015-010
 \$590
 10-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor



Argonaut-XR

36-0015-040

\$965

40-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor



Argonaut-XR

36-0015-070

\$1,340

70-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor



Argonaut-XR

36-0015-100

\$1,715

100-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub, 12 conductor



Argonaut-XR

36-0051-001

\$1,010

1-m Splitter cable for Argonaut-XR with external battery housing



Argonaut-XR

6048-08100

\$130

Connector, 8-pin male wet pluggable dummy plug (DC-8-MP)



Argonaut-XR

6048-95000

\$30

Locking Sleeve for standard wet-pluggable connectors, male



Argonaut-XR

6052-00051

\$120

Battery Pack, alkaline, 12V, 24D, XR/SL/Triton



Argonaut-XR

6053-00067

\$80

Toolkit for XR



Argonaut-XR

6053-00068

\$125

Tool kit for XR with external battery case



Argonaut-XR

7371-00125

\$60

Mounting plate, Argonaut-XR and old-style Argonaut-SL, without battery



Argonaut-XR

7371-00126

\$125

Mounting plate for Argonaut-XR with external battery housing



**CastAway - CTD
SPARE PARTS**



CastAway-CTD

28-0096

\$40

Stylus Kit. Includes stylus and lanyard



CastAway-CTD

28-0097

\$95

Jacket Kit. Includes CastAway-CTD jacket and (1) caribiner



CastAway-CTD

28-0098

\$9

Maintenance Pack. Includes cleaning brush, lubricant, o-ring



CastAway-CTD

40-0011

\$70

Bluetooth adapter, USB



CastAway-CTD

400309

\$140

CastAway-CTD plastic shipping case



CastAway-CTD

400312

\$10

Caribiner



**FLOWTRACKER 2
SPARE PARTS**



FlowTracker 2

FT2-MR2

\$3,630

2-piece top-setting wading rod, 1.2-m, metric increments in cm; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic shipping case



FlowTracker 2

FT2-ER

\$1,580

2-piece top-setting wading rod, 4-ft, English increments in tenths of ft; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic case



FlowTracker 2

FT2-MR

\$1,580

2-piece top-setting wading rod, 1.2-m, metric increments in cm; bubble level, mounting brackets for FT2 Display unit and ADV sensor, and plastic shipping case



FlowTracker 2

24-0066

\$185

Wading rod mounting bracket for FlowTracker ADV sensor, for SonTek round wading rod



FlowTracker 2

24-0313

\$430


Plastic shipping case, FlowTracker2




FlowTracker 2
24-0314
 \$680
 Plastic shipping case only, FlowTracker2 with 1.2-m/4-ft wading rod




FlowTracker 2
24-0324
 \$185
 Wading rod offset mounting bracket for FlowTracker ADV Sensor, for hex-shaped wading rod




FlowTracker 2
28-0137
 \$60
 Battery holder, 8 AA cells (for Handheld Display Unit)



FlowTracker 2
28-0146
 \$190
 Wading rod mounting clamp, FlowTracker2 Handheld Display unit




FlowTracker 2
28-0148
 \$210
 Wading rod offset mounting bracket for FlowTracker ADV sensor, for 20-mm universal wading rod




FlowTracker 2
28-0149
 \$180
 20-mm universal wading rod adapter for the FlowTracker2 Handheld Display unit wading rod mounting clamp (P/N 28-0146)




FlowTracker 2
31-0033
 \$25
 Cable, USB to MicroUSB, 6-ft




FlowTracker 2
36-0039-001
 \$680
 1.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable



FlowTracker 2
36-0039-003
 \$720
 3.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable





FlowTracker 2
36-0039-008
 \$840
 8.5-m FlowTracker2 ADV sensor extension cable, compact 8-pin male to compact 8-pin female wet-pluggable



FlowTracker 2
36-0049
 \$1,280
 Splitter cable, for connecting FlowTracker2 probe assembly to computer and power supply



**S5/M9/PCM2
 SPARE PARTS**

<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0147 \$1,250 DGPS / RTK GPS antenna</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0673 \$15 2.4-GHz antenna (2 dBi)</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0696 \$125 Battery charger, 16 position, for AA NiMH batteries</p> 
<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>10-0697 \$120 Rechargeable NiMH AA batteries, package of (16)</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>19-0011 \$125 Power Supply, 18VDC</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>19-0017 \$325 2.4 GHz USB radio</p> 
<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>20-0235 \$10 Right angle adapter, TNC male to TNC female</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>20-0236 \$10 Adapter, SMA female to TNC male</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>24-0032 \$110 RiverSurveyor S5/M9 GPS antenna support rod mounting bracket</p> 
<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>28-0177-01 \$50 PCM battery slot endcap, Square Battery Holder</p> 	<p>S5/M9/PCM2 -River/HydroSurveyor</p> <p>28-0177-02 \$50 PCM battery slot endcap, Round Battery Holder</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>24-0246 \$110 Radio antenna mounting bracket for use with GPS antenna support rod</p> 

<p>River/HydroSurveyor S5/M9 & PCM</p> <p>24-0247 \$50</p> <p>Tripod spacer for GPS antenna support rod</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>28-0110 \$155</p> <p>Battery holder, 8 AA cells, Round Battery holder slot.</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>28-0137 \$60</p> <p>Battery holder, 8 AA cells Square battery holder slot</p> 
<p>River/HydroSurveyor S5/M9 & PCM</p> <p>31-0020-02 \$70</p> <p>Radio antenna extension cable, 2-ft</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>31-0020-10 \$90</p> <p>Radio antenna extension cable, 10-ft</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>31-0021-02 \$70</p> <p>GPS antenna cable, 2-ft.</p> 
<p>River/HydroSurveyor S5/M9 & PCM</p> <p>31-0021-10 \$80</p> <p>GPS antenna cable, 10-ft.</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>36-0000-001 \$620</p> <p>1-m power & RS232 serial communications cable, compact 8-pin female to compact 8-pin male wet-pluggable</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>36-0000-010 \$620</p> <p>10-m power & RS232 serial communications cable, compact 8-pin female to compact 8-pin male wet- pluggable</p> 
<p>River/HydroSurveyor S5/M9 & PCM</p> <p>36-0001-010 \$580</p> <p>10-m power & RS232 serial communications cable, compact 8-pin male wet-pluggable to 9- pin D-sub</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>36-0001-030 \$840</p> <p>30-m power & RS232 serial communications cable, compact 8-pin male wet-pluggable to 9- pin D-sub</p> 	<p>River/HydroSurveyor S5/M9 & PCM</p> <p>40-0005 \$5</p> <p>Power cord (U.S.)</p> 

River/HydroSurveyor S5/M9 & PCM

40-0008

\$60

Power cord kit, (International)



River/HydroSurveyor S5/M9 & PCM

6045-00800

\$65

GPS Antenna Support Rod



SL1500-3G / SL3000-3G



SL1500-3G/SL3000-3G

19-0012

\$100

Cable Adaptor. Connects the instrument to power, SDI-12, Modbus, allows interface to laptop PC.



SL1500-3G/SL3000-3G

19-0013

\$65

Power Supply. Input 100/240VAC, output 12 VDC




SL1500-3G/SL3000-3G

24-0273

\$80

Mounting plate, SonTek-SL1500-3G/3000-3G



SL1500-3G/SL3000-3G

28-0106

\$100

Dummy Plug Kit, (1) 5-pin male dry-pluggable connector and (1) 5-pin female dry-pluggable connector



SL1500-3G/SL3000-3G

28-0128

\$150

Tool Kit, SL1500-3G



SL1500-3G/SL3000-3G

31-0015

\$20

Battery hook-up cable, 5ft (1.5m)



SL1500-3G/SL3000-3G

36-0040-010

\$285

10-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



SL1500-3G/SL3000-3G

36-0040-020

\$380

20-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block






SL1500-3G/SL3000-3G

36-0040-040



\$600

40-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block



<p>SL1500-3G/SL3000-3G 36-0040-060 \$820 60-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SL1500-3G/SL3000-3G 36-0040-100 \$1,260 100-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>SL1500-3G/SL3000-3G 36-0043 \$1,015 1-m Splitter cable for SonTek-SL1500-3G/3000-3G to external battery housing</p> 
--	--	--

**SL500
 SPARE PARTS**

<p>SL500 19-0022 \$75 Power supply, 15VDC, 40W</p> 
--

<p>SL500 2885-00103 \$10 Power cord (U.S.)</p> 

<p>SL500 2885-00125 \$35 Power cord kit (International)</p> 

<p>SL500 36-0003-010 \$695 10-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 

<p>SL500 36-0003-040 \$1,110 40-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 
--

<p>SL500 36-0003-070 \$1,560 70-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 
--


<p>SL500 36-0003-100 \$2,010 100-m power and RS232/SDI-12 communications cable, Flow Display capable, 8-pin male wet-pluggable to 9-pin D-sub</p> 
--

<p>SL500 36-0009-001 \$980 1-m Splitter cable for SL/SW/Triton to external battery housing</p> 
--

SL500
6048-08140
 \$100
 Connector, compact 8-pin male wet-pluggable dummy plug (MCDC-8-MP)



SL500
6048-95010
 \$20
 Locking Sleeve for compact wet-pluggable connector, female




SL500
6052-00051
 \$120
 Battery Pack, alkaline, 12V, 24D, XR/SL/Triton





SL500
7371-00151
 \$125
 Mounting plate for SL500 (without external battery housing)



SL500
7371-00152
 \$125
 Mounting plate for SL500 and external battery housing



**SonTek IQ
 SPARE PARTS**

SonTek-IQ
19-0012
 \$100
 Cable Adaptor. Connects the instrument to power, SDI-12, Modbus, allows interface to laptop PC.



SonTek-IQ
19-0013
 \$65
 Power Supply. Input 100/240VAC, output 12 VDC




SonTek-IQ
28-0091
 \$69
 SonTek IQ Spare Parts Kit. Mounting brackets, 8 mounting bracket screws, two 5-pin and two 3-pin connectors for the SonTek-IQ cable adaptor.




SonTek-IQ
28-0093
 \$110
 Tool Kit, SonTek-IQ systems






SonTek-IQ
28-0106
 \$100
 Dummy Plug Kit, (1) 5-pin male dry-pluggable connector and (1) 5-pin female dry-pluggable connector






SonTek-IQ
31-0015
 \$20
 Battery hook-up cable, 5ft (1.5m)



<p style="text-align: center;">SonTek-IQ</p> <p style="text-align: center;">36-0040-010 \$285</p> <p>10-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p style="text-align: center;">SonTek-IQ</p> <p style="text-align: center;">36-0040-020 \$380</p> <p>20-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p style="text-align: center;">SonTek-IQ</p> <p style="text-align: center;">36-0040-040 \$600</p> <p>40-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 
---	--	---

<p style="text-align: center;">SonTek-IQ</p> <p style="text-align: center;">36-0040-060 \$820</p> <p>60-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p style="text-align: center;">SonTek-IQ</p> <p style="text-align: center;">36-0040-100 \$1,260</p> <p>100-m power and RS232/SDI-12/Modbus communications cable, compatible with the SonTek-IQ Flow Display, 5-pin male dry-pluggable to terminal block</p> 	<p>RS5 SPARE PARTS</p>  
---	---	---

<p style="text-align: center;">RS5</p> <p style="text-align: center;">RS5-BATT \$40</p> <p>Rechargeable Li-Ion Batteries, 3.7VDC 9.6WH, quantity of (2)</p> 	<p style="text-align: center;">RS5</p> <p style="text-align: center;">19-0031 \$245</p> <p>Bluetooth USB radio, RS5</p> 	<p style="text-align: center;">RS5</p> <p style="text-align: center;">19-0033 \$30</p> <p>Power supply for Li-Ion battery charger</p> 
--	---	--

<p style="text-align: center;">RS5</p> <p style="text-align: center;">31-0043 \$30</p> <p>Radio antenna extension cable, 2-ft (61-cm)</p> 	<p style="text-align: center;">RS5</p> <p style="text-align: center;">31-0045 \$45</p> <p>Radio antenna extension cable, 3-ft (90-cm)</p> 	<p style="text-align: center;">RS5</p> <p style="text-align: center;">31-0048-01 \$320</p> <p>GNSS antenna interface cable, 1-ft (30-cm)</p> 
--	---	---

RS5

31-0048-02

\$320

GNSS antenna interface cable, 3-ft (90-cm)



RS5

40-0015

\$30

Battery charger for Li-Ion battery packs



RS5

70-0054

\$30

2.4-GHz antenna (2 dBi)

